

Molecular Immunology

**LIST OF CONTENTS AND
AUTHOR INDEX
FOR VOLUME 29, 1992**



Pergamon Press

Oxford · New York · Seoul · Tokyo

Molecular Immunology

Board of Regional Editors

Prof. MICHEL FOUGEREAU (Chairman of the Board), *Centre d'Immunologie de Marseille-Luminy, Case 906, 13288 Marseille Cedex 9, France.*

Dr STEVEN DOWER, *Immunex Corporation, 51 University Street, Seattle, WA 98101, U.S.A.*

Dr JANOS GERGELY, *Department of Immunology, L. Eötvös University, Javorka S.u. 14, Göd 2131, Hungary.*

Dr DAVID HOLOWKA, *Department of Chemistry, Cornell University, Ithaca, NY 14853, U.S.A.*

Dr ROALD S. NEZLIN, *Department of Chemical Immunology, The Weizmann Institute of Sciences, Rehovot 76100, Israel.*

Dr HIDDE PLOEGH, *Center for Cancer Research, Department of Biology, MIT, 77 Mass. Avenue, Cambridge, MA 02139-4307, U.S.A.*

Dr TOMIO TADA, *Department of Immunology, Faculty of Medicine, University of Tokyo, 7-3-1 Hongo, Bunkyo-ku, Tokyo, Japan.*

Founding Editor

Prof. DAN H. CAMPBELL

Advisory Editors

G. I. ABELEV
Moscow, Russia

B. H. BARBER
Toronto, Canada

DAVID H. BING
Boston, MA, U.S.A.

GUY BORDENAVE
Paris, France

C. A. BONA
New York, NY, U.S.A.

DENNIS R. BURTON
Sheffield, U.K.

L. WILLIAM CLEM
Jackson, MI, U.S.A.

JOHN E. COLIGAN
Bethesda, MD, U.S.A.

MAURICE COLOMB
Grenoble, France

D. H. CONRAD
Richmond, VA, U.S.A.

GIAMPIETRO CORRADIN
Lausanne, Switzerland

SUSAN E. CULLEN
St Louis, MO, U.S.A.

JOSEPH M. DAVIE
Skokie, IL, U.S.A.

M. P. DIERICH
Innsbruck, Austria

S. ELSAYED
Bergen, Norway

PETER L. EY
Adelaide, Australia

DOUGLAS FEARON
Baltimore, MD, U.S.A.

Z. FISHELSON
Rehovot, Israel

FRANTISEK FRANEK
Praha, Czechoslovakia

ARNOLD FROESE
Winnipeg, Canada

C. GRANIER
Montpellier, France

SEN-ITIROH HAKOMORI
Seattle, WA, U.S.A.

JOHN K. INMAN
Bethesda, MD, U.S.A.

DAVID ISENMAN
Toronto, Canada

M. KAARTINEN
Helsinki, Finland

JEAN-PIERRE KINET
Bethesda, MD, U.S.A.

E. KLEIN
Stockholm, Sweden

MICHEL KLEIN
Toronto, Canada

D. M. KRANZ
Urbana, IL, U.S.A.

M. P. LEFRANC
Montpellier, France

WARREN J. LEONARD
Bethesda, MD, U.S.A.

HENNING LOWENSTEIN
Horsholm, Denmark

J. P. MACH
Epalinges, Switzerland

DAVID G. MARSH
Baltimore, MD, U.S.A.

SHERIE L. MORRISON
Los Angeles, CA, U.S.A.

JIRI NOVOTNY
Princeton, NJ, U.S.A.

EDUARDO A. PADLAN
Bethesda, MD, U.S.A.

ISRAEL PECHT
Rehovot, Israel

CLAUDE DE PREVAL
Toulouse, France

JEAN-LOUIS PREUD'HOMME
Poitiers, France

EVA RAJNAVOLGYI
Göd, Hungary

J. V. RAVETCH
New York, NY, U.S.A.

WALTER F. RIESEN
St Gallen, Switzerland

KENNETH H. ROUX
Tallahassee, FL, U.S.A.

D. J. ROWLANDS
London, U.K.

CATHERINE SAUTES
Paris, France

VERNE N. SCHUMAKER
Los Angeles, CA, U.S.A.

DAVID M. SEGAL
Bethesda, MD, U.S.A.

B. DAVID STOLLAR
Boston, MA, U.S.A.

MARC VAN REGENMORTEL
Strasbourg, France

EDWARD W. VOSS, JR
Urbana, IL, U.S.A.

I. YAHARA
Tokyo, Japan

JUNJI YODOI
Kyoto, Japan

D. C. YUAN
Dallas, TX, U.S.A.

Production Editor

CATHERINE MORGAN, *Pergamon Press Ltd, Oxford OX3 0BW, England. Tel. 0865 743741.*

Publishing and Advertising Offices: Pergamon Press Ltd, Headington Hill Hall, Oxford OX3 0BW, U.K., and Pergamon Press Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A. Annual Institutional Subscription Rate (1993): £695.00 (U.S.\$1321.00). Sterling prices are definitive. U.S. dollar prices are quoted for convenience only, and are subject to exchange rate fluctuation. Personal subscription rates for those whose library subscribes at the regular rate are available on request. Prices include postage and insurance and are subject to change without notice. Subscription rates for Japan are available on request. Subscription enquiries from customers in North America should be sent to: Pergamon Press Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A., and for the remainder of the world to: Pergamon Press Ltd, Headington Hill Hall, Oxford OX3 0BW, U.K.

Published monthly. Copyright © 1992 Pergamon Press Ltd

Whilst every effort is made by the publishers and editorial board to see that no inaccurate or misleading data, opinion or statement appear in this journal, they wish to make it clear that the data and opinions appearing in the articles and advertisements herein are the sole responsibility of the contributor or advertiser concerned. Accordingly, the publishers, the editorial board and editors and their respective employees, officers and agents accept no responsibility or liability whatsoever for the consequences of any such inaccurate or misleading data, opinion or statement.

Second Class Postage paid at Rahway, NJ. Postmaster send address corrections to *Molecular Immunology*, c/o Pergamon Press Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A.

CONTENTS OF VOLUME 29

JANUARY

iii Editorial

- | | | |
|--|-----|--|
| B. Vanhove and H. Bazin | 1 | IgG2b or IgE molecules can be co-expressed with those of the IgM and IgD isotypes of the membrane of normal rat B cells |
| M. B. Omary, L. de Grandpre, N. M. Varki and M. F. Kagnoff | 9 | A tyrosine sulfated human glycoprotein with an unusual cell distribution |
| C. Cheadle, L. E. Hook, D. Givol and G. A. Ricca | 21 | Cloning and expression of the variable regions of mouse myeloma protein MOPC315 in <i>E. coli</i> : recovery of active F _v fragments |
| I. C. Switzer, G. M. Loney, D. S. C. Yang and B. J. Underdown | 31 | Binding of secretory component to protein 511, a pIgA mouse protein lacking 36 amino acid residues of the C α 3 domain |
| T. Azuma, J. Takeda, N. Motoyama and H. Okada | 37 | Kinetics of inter-heavy chain disulfide bond formation of liganded and unliganded human immunoglobulin G by radioimmunoassay |
| K. C. Ingham, D. J. Milasincic, T. F. Busby and D. K. Strickland | 45 | Dynamic equilibria between subcomponents of C $\bar{1}$, the first component of human complement |
| J. Lund, J. D. Pound, P. T. Jones, A. R. Duncan, T. Bentley, M. Goodall, B. A. Levine, R. Jefferis and G. Winter | 53 | Multiple binding sites on the C μ 2 domain of IgG for mouse Fc γ R11 |
| W. H. Hildebrand, R. M. Horton, L. R. Pease and J. M. Martinko | 61 | Nucleotide sequence analysis of <i>H-2D^f</i> and the spontaneous <i>in vivo</i> <i>H-2D^{fm2}</i> mutation |
| J. MacDermot, S. Joseph and C. T. Dollery | 71 | The identity of IgE receptors (Fc ϵ R11) that mediate cellular activation of human macrophages: evidence against a role for CD23 |
| T. Utsumi, M.-C. Hung and J. Klostergaard | 77 | The role of amino functions in recombinant human tumor necrosis factor in expression of biological activity |
| S. L. Ward and K. C. Ingham | 83 | A calcium-binding monoclonal antibody that recognizes a non-calcium-binding epitope in the short consensus repeat units (SCRs) of complement C1r |
| W.-M. Ching, M. Carl and G. A. Dasch | 95 | Mapping of monoclonal antibody binding sites on CNBr fragments of the S-layer protein antigens of <i>Rickettsia typhi</i> and <i>Rickettsia prowazekii</i> |
| N. A. Cacalano, R. Aggarwal, V. F. J. Quesniaux, W. L. Cleveland and B. F. Erlanger | 107 | Novel monoclonal antibodies to cyclosporine A: characterization and epitope mapping with cyclosporine analogs and cyclophilin |
| A. Rebollo, D. De Groote, M. Baudrihay, J. Thèze and D. Lj. Jankovic | 119 | Immunochemical characterization of antigenic domains on human IL-2: spatially distinct epitopes are associated with binding to the p55 and p70 subunits of IL-2 receptor |

- B. Rose, A. Gillespie, D. Wunderlich, 131 A chimeric mouse/human anti-IL-2 receptor antibody with enhanced biological activities
J. A. Barbosa, K. Cahill, J. Dzuiba,
D. Shedd and B. Zerler

FEBRUARY

- S. Harada, S. Takagi, Y. Kosada 145 Hinge region of human IgG₂ protein: conformational studies with monoclonal antibodies
and E. Kondo
- S. H. Ghaffari and C. J. Lobb 151 Organization of immunoglobulin heavy chain constant and joining region genes in the channel catfish
- H. Kofler, I. Schnegg, S. Geley, 161 Mechanism of allergic cross-reactions—III. cDNA cloning and variable-region sequence analysis of two IgE antibodies specific for trinitrophenyl
A. Helmberg, J. M. Varga
and R. Kofler
- S. J. Rozzo and C. H. Kirkpatrick 167 Purification of transfer factors
- Y. Torimoto, N. H. Dang, T. Tanaka, 183 Biochemical characterization of CD26 (dipeptidyl peptidase IV): functional comparison of distinct epitopes recognized by various anti-CD26 monoclonal antibodies
C. Prado, S. F. Schlossman
and C. Morimoto
- M. J. Campbell, A. D. Zelenetz, 193 Use of family specific leader region primers for PCR amplification of the human heavy chain variable region gene repertoire
S. Levy and R. Levy
- J. Le Mao, A. Weyer, J. C. Mazie, 205 Identification of allergenic epitopes on *Der f I*, a major allergen of *Dermatophagoides farinae*, using monoclonal antibodies
S. Rouyre, F. Marchand, A. Le Gall
and B. David
- E. J. Wawrzynczak, A. J. Cumber, 213 Blood clearance in the rat of a recombinant mouse monoclonal antibody lacking the N-linked oligosaccharide side chains of the C_H2 domains
G. D. Parnell, P. T. Jones
and G. Winter
- E. J. Wawrzynczak, S. Denham, 221 Recombinant mouse monoclonal antibodies with single amino acid substitutions affecting C1q and high affinity Fc receptor binding have identical serum half-lives in the BALB/c mouse
G. D. Parnell, A. J. Cumber,
P. T. Jones and G. Winter
- S. Ikeda, M. Kuroki, M. Haruno, 229 Epitope mapping of the carcinoembryonic antigen with various related recombinant proteins expressed in Chinese hamster ovary cells and 25 distinct monoclonal antibodies
S. Oikawa, H. Nakazato, G. Kosaki
and Y. Matsuoka
- E. W. Voss, Jr, J. K. Moore, 241 Autologous anti-metatype immune response in rabbits
K. M. Weidner-McGufficke,
L. K. Denzin, W. D. Bedzyk
and V. H. Voss
- W. Vogt, B. Zimmermann, 251 Activation of the fifth component of human complement, C5, without cleavage, by methionine oxidizing agents
D. Hesse and R. Nolte
- W. K. Greene and W. R. Thomas 257 IgE binding structures of the major house dust mite allergen *Der P I*
- A. Yamauchi, H. Masutani, 263 Lymphocyte transformation and thiol compounds; the role of ADF/thioredoxin as an endogenous reducing agent
Y. Tagaya, N. Wakasugi, A. Mitsui,
H. Nakamura, T. Inamoto, K. Ozawa
and J. Yodoi

C. Larue, H. Defacque-Lacquement, C. Calzolari, D. Le Nguyen and B. Pau	271	New monoclonal antibodies as probes for human cardiac troponin I: epitopic analysis with synthetic peptides
S. B. Ward and S. L. Morrison	279	Sequence of the $\gamma 2b$ membrane 3' untranslated region: polyA site determination and comparison to the $\gamma 2a$ membrane 3' untranslated region
	287	<i>Book Reviews</i>
	291	<i>Corrigendum</i>
	293	<i>Announcements</i>

MARCH

A. M. Lawler, A. Umar and P. J. Gearhart	295	Linkage of two pseudogenes from $V_{\kappa}1$ and $V_{\kappa}9$ murine immunoglobulin families
K. M. Weidner and E. W. Voss, Jr	303	Characterization of interactions involving anti-metatype antibodies and immune complexes
B. S. Wang, A. L. Lumanglas, E. Szewczyk, W. McWilliams, C. C. Loullis and I. C. Hart	313	A proposed mechanism of action of a growth hormone-specific monoclonal antibody in the enhancement of hormonal activity
T. E. Michaelsen, A. Aase, L. Norderhaug and I. Sandlie	319	Antibody dependent cell-mediated cytotoxicity induced by chimeric mouse-human IgG subclasses and IgG3 antibodies with altered hinge region
J. Biewenga and P. E. M. van Run	327	Effects of limited reduction on disulfide bonds in human IgA1 and IgA1 fragments
D. C. Gowda, M. Schultz, R. Bredehorst and C.-W. Vogel	335	Structure of the major oligosaccharide of cobra venom factor
G. Zenke, G. Zeder, U. Strittmatter, E. Andersen, H. P. Kocher, V. F. J. Quesniaux, M. H. Schreier and M. H. V. Van Regenmortel	343	Anti-cyclosporine monoclonal antibodies and their anti-idiotopic counterpart: structure and biological activity
C. Bonnerot, M.-A. Marloie, M. Daëron and W. H. Fridman	353	Sequence and length heterogeneity of α Fc γ R transcripts in AKR mice
C. W. van den Berg, P. C. Aerts and H. van Dijk	363	C1-inhibitor prevents PEG fractionation-induced, EDTA-resistant activation of mouse complement
K. C. Parker, M. L. Silver and D. C. Wiley	371	An HLA-A2/ β_2 -microglobulin/peptide complex assembled from subunits expressed separately in <i>Escherichia coli</i>
K. Miklós, M. Tolnay, H. Bazin and G. A. Medgyesi	379	Antibody mediated lysis of hapten-conjugated target cells by macrophages and by complement: the influence of IgG subclass, antibody and hapten density
M. Tolnay, K. Miklós, H. Bazin and G. A. Medgyesi	385	Interaction between rat peritoneal macrophages and sensitised erythrocytes: dependence on IgG subclass, antibody density and the degree of hapten conjugation

- | | | |
|---|------------|--|
| M. L. Overall and P. J. Hertzog | 391 | Functional analysis of interferon- α subtypes using monoclonal antibodies to interferon- α 4a—subtype reactivity, neutralisation of biological activities and epitope analysis |
| S. Tsukada, Y. Oka and H. Sugiyama | 401 | Continuing $V\gamma_2$ to $J\gamma_2$ rearrangements of murine T cell receptor gamma genes in a B-committed immature cell line |
| S. M. Vroegop, E. Crumm and S. E. Buxser | 411 | Characterization of ultra-high affinity monoclonal antibodies with a dimeric, symmetrical antigen: inhibition of the receptor recognition site of nerve growth factor |
| A. Sequeira, E. Jouvin-Marche and S. Avrameas | 425 | Characterization of a murine immunoglobulin VH gene segment in subgroup III: a new member of the 7183 gene family |
| T. V. Arsenault, D. N. Sauder, C. B. Harley and R. C. McKenzie | 431 | Identification and characterization of a partial cDNA expressing interleukin-1-like activity in keratinocytes |
| <i>Preliminary Communications</i> | | |
| M. Chao and E. W. Voss, Jr | 439 | Autoimmune V_H gene family: PCR-generated murine germline V_H10 genes |
| P. Chong, M. Sydor, E. Wu and M. Klein | 443 | Resin-bound synthetic peptides: use as antigens and immunogens |

APRIL

- | | | |
|---|------------|--|
| D. Alexandre and M.-P. Lefranc | 447 | The human γ/δ^+ and α/β^+ T cells: a branched pathway of differentiation |
| S. L. Stanley, Jr, L. Foster and N. Phillips | 453 | Molecular analysis of carbohydrate antigen-induced monoclonal IgM anti-IgG antibodies (rheumatoid factors) |
| J. Roland, D. Grouselle, D. Gourdji, A. Tixier-Vidal and P.-A. Cazenave | 463 | Properties of monoclonal antibodies to thyroliberin (TRH) induced by different immunogens: comparison with pituitary TRH receptor |
| A. Corti, G. Fassina, F. Marcucci and G. Cassani | 471 | Antigenic regions of Tumor Necrosis Factor alpha and their topographic relationships with structural/functional domains |
| A. Rocca, A. Opolski, A. Samaan, B. Frangoulis, L. Degos and M. Pla | 481 | Localization of the conformational alteration of MHC molecules induced by the association of mouse class I heavy chain with a xenogeneic β 2-microglobulin |
| J. Estaquier, C. Boutillon, J.-C. Ameisen, H. Gras-Masse, J.-P. Lecocq, B. Barbier, A. Dixon, A. Tartar, A. Capron and C. Auriault | 489 | T helper cell epitopes of the human immunodeficiency virus (HIV-1) nef protein in rats and chimpanzees |
| P. Sunthornandh, P. Matangkasombut and K. Ratanabanangkoon | 501 | Preparation, characterization and immunogenicity of various polymers and conjugates of elapid postsynaptic neurotoxins |
| B. M. M. M. Kumar Reddy, A. A. Karande and P. R. Adiga | 511 | A common epitope of β -lactoglobulin and serum retinol-binding proteins: elucidation of its core sequence using synthetic peptides |

- C. Pieri, R. Recchioni, F. Moroni, F. Marcheselli, M. Falasca, Z. Krasznai, R. Gáspár, L. Mátyus and S. Damjanovich 517 A sodium channel opener inhibits stimulation of human peripheral blood mononuclear cells
- S.-Y. Shaw and M. N. Margolies 525 A spontaneous variant of an antidigoxin hybridoma antibody with increased affinity arises from a heavy chain signal peptide mutation
- T. Herrick, L. Qian and M. F. Wilkinson 531 TcR- α mRNA accumulation does not dictate cell surface TcR/CD3 expression
- K. Yoshimatsu, Y. Ohya, Y. Shikata, T. Seto, Y. Hasegawa, I. Tanaka, T. Kawamura, K. Kitoh, S. Toyoshima and T. Osawa 537 Purification and cDNA cloning of a novel factor produced by a human T-cell hybridoma: sequence homology with animal lectins
- L. Rydberg, M. E. Breimer, J. Holgersson, K.-A. Karlsson, P.-G. Nyholm, I. Pascher, L. Svensson and B. E. Samuelsson 547 Characterisation of the anti-A antibody response following an ABO incompatible (A₂ to O) kidney transplantation
- G. Küttner, E. Gießmann, B. Niemann, K. Winkler, R. Grunow, J. Hinkula, J. Rosen, B. Wahren and R. von Baehr 561 *Preliminary Communication*
Immunoglobulin V regions and epitope mapping of a murine monoclonal antibody against p24 core protein of HIV-1

MAY

- A. Avrameas, J.-G. Guillet, L. Chouchane, A. Moraillon, P. Sonigo and A. D. Strosberg 565 Localisation of three epitopes of the *env* protein of feline immunodeficiency virus
- K. Shigemoto, S. Kubo, Y. Itoh, G. Tate, S. Handa and N. Maruyama 573 Expression and structure of serum gp70 as an acute phase protein in NZB mice
- Y. Fukuchi, M. Sato, T. Yamashita and J. Koyama 583 Low ligand binding activities of two distinct types of Fc γ receptor on guinea-pig peripheral blood polymorphonuclear leukocytes are differentially improved by proteolysis or platelet activating factor
- I. Vitté-Mony, A. Goy, L. Guizani and J. H. Bertoglio 593 Cyclic AMP upregulates mRNA and surface expression of IL-2R α p55(Tac) in normal human NK cell clones
- A. Azimzadeh, E. Weiss and M. H. V. Van Regenmortel 601 Measurement of affinity of viral monoclonal antibodies using Fab'-peroxidase conjugate. Influence of antibody concentration on apparent affinity
- S. M. Edgington and B. D. Stollar 609 Immunogenicity of Z-DNA depends on the size of polynucleotide presented in complexes with methylated BSA
- N. Iwabuchi, D. B. Williams, H. P. Nguyen and N. Hozumi 619 *Egr-1* mRNA expression is independent of regulatory proliferative responses in the immature B cell line WEHI-231
- I. Kawashima, O. Nakamura and T. Tai 625 Antibody responses to ganglio-series gangliosides in different strains of inbred mice

- G. Sarmay, J. Lund, Z. Rozsnyay, J. Gergely and R. Jefferis** 633 Mapping and comparison of the interaction sites on the Fc region of IgG responsible for triggering antibody dependent cellular cytotoxicity (ADCC) through different types of human Fc γ receptor
- P.-X. Xing, J. Prenzoska and I. F. C. McKenzie** 641 Epitope mapping of anti-breast and anti-ovarian mucin monoclonal antibodies
- C. Partidos, C. Stanley and M. Steward** 651 The effect of orientation of epitopes on the immunogenicity of chimeric synthetic peptides representing measles virus protein sequences
- A. Johnston, G. R. Auda, M. A. Kerr, M. W. Steward and K. Whaley** 659 Dissociation of primary antigen-antibody bonds is essential for complement mediated solubilization of immune precipitates
- T. Jackson, B. A. Morris and P. G. Sanders** 667 Nucleotide sequences and expression of cDNAs for a bovine anti-testosterone monoclonal IgG1 antibody
- S.-C. Ying, E. Shephard, F. C. de Beer, J. N. Siegel, D. Harris, B. E. Gewurz, M. Fridkin and H. Gewurz** 677 Localization of sequence-determined neoepitopes and neutrophil digestion fragments of C-reactive protein utilizing monoclonal antibodies and synthetic peptides
- R. E. Cone, A.-K. Weischedel, M. Urbanski and J. Kristie** 689 Specific antigen binding by proteins secreted by an antigen-specific T cell hybrid
- 697 *Book Reviews*

JUNE

- J. N. Larsen, P. Strøman and H. Ipsen** 703 PCR based cloning and sequencing of isogenes encoding the tree pollen major allergen *Car b 1* from *Carpinus betulus*, hornbeam
- G. R. Ewoldt, U. Winkler, J. C. Powers and D. Hudig** 713 Sulfonyl fluoride serine protease inhibitors inactivate RNK-16 lymphocyte granule proteases and reduce lysis by granule extracts and perforin
- Y. Tsunetsugu-Yokota, T. Minekawa, K. Shigemoto, T. Shirasawa and T. Takemori** 723 Characterization of a new subgroup of human Ig V λ cDNA clone and its expression
- V. Robert-Hebmann, S. Emiliani, F. Jean, M. Resnicoff, F. Traincard and C. Devaux** 729 Clonal analysis of murine B cell response to the human immunodeficiency virus type 1 (HIV1)-*gag* p17 and p25 antigens
- P. Jeannin, A. Didierlaurent, H. Gras-Masse, A. A. Ellass, Y. Delneste, E. Cardot, M. Joseph, A. Tartar, G. Vergoten and J. Pestel** 739 Specific histamine release capacity of peptides selected from the modeled Der p 1 protein, a major allergen of *Dermatophagoides pteronyssinus*
- R. C. Grebenau, D. M. Goldenberg, C.-H. Chang, G. A. Koch, D. V. Gold, A. Kunz and H. J. Hansen** 751 Microheterogeneity of a purified IgG, due to asymmetric Fab glycosylation

- H. Hori, D. R. Keene, L. Y. Sakai,
M. K. Wirtz, H. P. Bächinger,
M. Godfrey and D. W. Hollister 759 Repeated helical epitopes of defined amino acid sequence in human type III collagen identified by monoclonal antibodies
- Y. Reiter and Z. Fishelson 771 Complement membrane attack complexes induce in human leukemic cells rapid expression of large proteins (L-CIP)
- K. Waśniowska, M. Duk,
M. Czerwiński, I. Steuden,
D. Duś, C. Radzikowski,
H. Bartosz-Bechowski,
D. Konopińska and E. Lisowska 783 Analysis of peptidic epitopes recognized by the three monoclonal antibodies specific for the same region of glycophorin A but showing different properties
- M. Marguerite, M. Bossus,
C. Mazingue, I. Wolowczuk,
H. Gras-Masse, A. Tartar,
A. Capron and C. Auriault 793 Analysis of antigenicity and immunogenicity of five different chemically defined constructs of a peptide
- S. H. Pincus, R. Cole
and D. S. Pisetsky 801 A defect in the humoral immune response to protein antigens and haptens in immunoglobulin mu heavy-chain transgenic mice
- D. H. Dreyfus *Viewpoint*
807 Evidence suggesting an evolutionary relationship between transposable elements and immune system recombination sequences

JULY/AUGUST

- S. H. Pincus and C. E. Carmack 811 Variable regions of antibodies to synthetic polypeptides—III. Antibodies arising in response to administration of anti-idiotope
- A. R. Carroll, D. J. Rowlands
and B. E. Clarke 821 Synthesis and secretion of a functional antibody in a vaccinia virus expression system
- S. Patri and F. Nau 829 Isolation and sequence of a cDNA coding for the immunoglobulin μ chain of the sheep
- L. Saunero-Nava, J. E. Coe,
C. Mold and T. W. Du Clos 837 Hamster female protein binding to chromatin, histones and DNA
- Y.-J. Deng, M.-M. Chua,
G. C. Andrews and F. Karush 847 Primary B-cell response to neuropeptide Y and bovine pancreatic polypeptide
- S. Tsukada, Y. Oka and
H. Sugiyama 857 Nucleotide deletion of T cell receptor $V\gamma_2$ and $J\gamma_2$ coding sequences at $V\gamma_2$ - $J\gamma_2$ junctions in immature B cell lines
- P. Kontsek, L. Borecký,
E. Kontseková, A. Kolcunová,
M. Novák, V. P. Zav'yalov and
V. A. Maiorov 863 Immunodominant structures in the aminoterminal portion of human interferon $\alpha 1$
- V. Choumet, G. Faure,
A. Robbe-Vincent, B. Saliou,
J. C. Mazié and C. Bon 871 Immunochemical analysis of a snake venom phospholipase A_2 neurotoxin, crotoxin, with monoclonal antibodies

- N. Rouas, S. Christophe, D. Bellet, F. Troalen, J.-G. Guillet and J.-M. Bidart 883 Immune recognition of a molecule naturally presented as a monomeric or an oligomeric structure: the model of the human chorionic gonadotropin α subunit
- R. Rousseaux-Prevost, M. de Almeida, P. Jouannet, P. Hublau, P. Sautiere and J. Rousseaux 895 Auto-antibodies to human sperm basic nuclear proteins in infertile and vasectomized men: characterization of antigens and epitopes recognized by antibodies
- M. Glikson, R. Arad-Yellin, M. Ghozi, L. Raveh, B. S. Green and Z. Eshhar 903 Characterization of soman-binding antibodies raised against soman analogs
- M. Hatanaka, T. Seya, A. Yoden, K. Fukamoto, T. Semba and S. Inai 911 Analysis of C5b-8 binding sites in the C9 molecule using monoclonal antibodies: participation of two separate epitopes of C9 in C5b-8 binding
- D. A. Law, M. R. Gold and A. L. DeFranco 917 Examination of B lymphoid cell lines for membrane immunoglobulin-stimulated tyrosine phosphorylation and *src*-family tyrosine kinase mRNA expression
- N. Isakov, M. I. Mally and A. Altman 927 Mitogen-induced human T cell proliferation is associated with increased expression of selected PKC genes
- I. Yokoyama and F. Waxman 935 Isotypic and clonal variations in the interactions between model monoclonal immune complexes and the human erythrocyte CR1 receptor
- S. M. Hobbs, L. E. Jackson and J. Hoadley 949 Interaction of aglycosyl immunoglobulins with the IgG Fc transport receptor from neonatal rat gut: comparison of deglycosylation by tunicamycin treatment and genetic engineering
- E. R. Holme, M. Qi, A. E. E. Ahmed, J. Veitch, G. Auda and K. Whaley 957 Purification and characterization of RHP (Factor H) and study of its interactions with the first component of complement
- Y. Zhou, R. Scamurra, T. W. Molitor and M. P. Murtaugh 965 Characterization of transforming growth factor- β 1 gene expression in porcine immune cells
- K. S. Joshi, L. G. Hoffmann and J. E. Butler 971 The immunochemistry of sandwich ELISAs—V. The capture antibody performance of polyclonal antibody-enriched fractions prepared by various methods
- N. Julen, C. Davrinche, D. Ozanne, J.-P. Lebreton, M. Fontaine, J. Ripoché and M. Daveau 983 Differential modulation of complement factor H and C3 expression by TNF- α in the rat. *In vitro* and *in vivo* studies
- H. Wolf, R. Q. Warren, G. W. Stunz, K. R. Shuler, P. Kanda and R. C. Kennedy 989 Fine specificity of the murine antibody response to HIV-1 gp160 determined by synthetic peptides which define selected epitopes
- A. Malley, J. V. Torres, E. Benjamini, N. Pangares and M. Axthelm 999 Characterization of T cell epitopes on the envelope glycoprotein of simian retrovirus 1 and 2 (SRV-1 and SRV-2) in several mouse strains
- J. M. Johnston, M. T. Yu and W. L. Carroll 1005 A shuttle vector system for the investigation of immunoglobulin gene hypermutation: absence of enhanced mutability in intermediate B cell lines

- S. Lind and A. A. Lindberg 1013 Epitope size, specificity and equilibrium constant for four monoclonal antibodies binding to the O:4 polysaccharide antigen of *Salmonella* serogroup B bacteria
- P. Thammana, A. L. Gaito and M. T. Lagen 1025 *Short Communication*
Sequences of variable regions of a monoclonal antibody specific to the thyroid hormone, triiodo-L-thyronine
- 1029 *Corrigenda*
- 1030 *Announcements*

SEPTEMBER

- M. D. Daley, T. Olee, H. Peng, R. W. Soto-Gil, P. P. Chen and K. A. Siminovitch 1031 Molecular characterization of the human immunoglobulin V λ 1 germline gene repertoire
- J. Różycki, K. Rolka, Z. Wińczorek, M. Zimecki and G. Kupryszewski 1043 New cyclosporin A analogue: synthesis and immunosuppressive activity
- K. A. Muszkat, B. Schechter and M. Sela 1049 Structural origin of the immunological diversity of two closely related tetrapeptides: CIDNP study of TyrTyrGluGlu and TyrGluTyrGlu epitopes
- C.-H. Chou and W. H. Reeves 1055 Recognition of multiple epitopes in the coiled-coil domain of lamin B by human autoantibodies
- A. Nissim and Z. Eshhar 1065 The human mast cell receptor binding site maps to the third constant domain of immunoglobulin E
- T. Hettmann, P. J. Doherty and A. Cohen 1073 The human T cell receptor gamma genes are transcribed from TATA-less promoters containing a conserved heptamer sequence
- J. R. Weber, C. Nelson, B. C. Cunningham, J. A. Wells and S. Fong 1081 Immunodominant structures of human growth hormone identified by homolog-scanning mutagenesis
- R. W. Anderson, J. R. Bennink, J. W. Yewdell, W. L. Maloy and J. E. Coligan 1089 Influenza basic polymerase 2 peptides are recognized by influenza nucleoprotein-specific cytotoxic T lymphocytes
- Ø. Bruserud, S. Elsayed and G. Pawelec 1097 At least five antigenic epitopes on the streptokinase molecule are recognized by human CD4⁺ TCR $\alpha\beta$ ⁺ T cells
- C. Burger and A. Radbruch 1105 Demethylation of the constant region genes of immunoglobulins reflects the differentiation state of the B cell
- A. Gauffre, A. Viron, M. Barel, J. Hermann, E. Puvion and R. Frade 1113 Nuclear localization of the Epstein-Barr virus/C3d receptor (CR2) in the human Burkitt B lymphoma cell, Raji
- J. Chen, P. Borden, J. Liao and E. A. Kabat 1121 Variable region cDNA sequences of three mouse monoclonal anti-idiotypic antibodies specific for anti- α (1 \rightarrow 6)dextran with groove- or cavity-type combining sites

- | | | |
|--|------|--|
| B. M. Carreno, S. Koenig,
J. E. Coligan and W. E. Biddison | 1131 | The peptide binding specificity of HLA class I molecules is largely allele-specific and non-overlapping |
| T. T. Wu and E. A. Kabat | 1141 | Possible use of similar framework region amino acid sequences between human and mouse immunoglobulins for humanizing mouse antibodies |
| H. Heyermann, J. E. Butler
and B. Frangione | 1147 | The heterogeneity of bovine IgG2—V. Differences in the primary structure of bovine IgG2 allotypes |
| A. Elsaghier, R. Lathigra
and J. Ivanyi | 1153 | <i>Short Communication</i>
Localisation of linear epitopes at the carboxy-terminal end of the mycobacterial 71 kDa heat shock protein |
| M. Vazquez, N. Mizuki,
M. F. Flajnik, E. C. McKinney
and M. Kasahara | 1157 | <i>Brief Structural Data Report</i>
Nucleotide sequence of a nurse shark immunoglobulin heavy chain cDNA clone |

OCTOBER

- | | | |
|--|------|---|
| V. Brinkmann, S. Müller
and C. H. Heusser | 1159 | T cell dependent differentiation of human B cells: direct switch from IgM to IgE, and sequential switch from IgM via IgG to IgA production |
| S. E. McKenzie, M. A. Keller,
D. L. Cassel, A. D. Schreiber,
E. Schwartz, S. Surrey and
E. F. Rappaport | 1165 | Characterization of the 5'-flanking transcriptional regulatory region of the human Fcγ receptor gene, FcγRIIA |
| V. Robert-Hebmann, S. Emiliani,
M. Resnicoff, F. Jean
and C. Devaux | 1175 | Subtyping of human immunodeficiency virus isolates with a panel of monoclonal antibodies: identification of conserved and divergent epitopes on p17 and p25 core proteins |
| B. Löwenadler, N. Lycke,
C. Svanholm, A.-M. Svennerholm,
K. Krook and M. Gidlund | 1185 | T and B cell responses to chimeric proteins containing heterologous T helper epitopes inserted at different positions |
| H. Kahlert, A. Petersen,
W.-M. Becker and M. Schlaak | 1191 | Epitope analysis of the allergen ovalbumin (Gal d II) with monoclonal antibodies and patients' IgE |
| S. B. Easterbrook-Smith,
M. R. Wilson and B. D. Wines | 1203 | RHP is antigenically related to Factor H and binds to the globular heads of C1q |
| B. A. Baldo, R. C. Panzani,
D. Bass and R. Zerboni | 1209 | Olive (<i>Olea europea</i>) and privet (<i>Ligustrum vulgare</i>) pollen allergens. Identification and cross-reactivity with grass pollen proteins |
| W. J. Allard, C. A. Moran, E. Nagel,
G. Collins and M. T. Lagen | 1219 | Antigen binding properties of highly purified bispecific antibodies |
| S. Kanangat, A. Solomon
and B. T. Rouse | 1229 | Use of quantitative polymerase chain reaction to quantitate cytokine messenger RNA molecules |
| J. Anthony, R. Near, S.-L. Wong,
E. Iida, E. Ernst, M. Wittekind,
E. Haber and S.-C. Ng | 1237 | Production of stable anti-digoxin Fv in <i>Escherichia coli</i> |

- S. Ezine, F. Vasseur and C. Penit 1249 Thy-1 modulation and cell proliferation at early steps of intrathymic bone marrow cell differentiation
- I. R. Sanderson, A. J. Ouellette, E. A. Carter and P. R. Harnatz 1257 Ontogeny of Class II MHC mRNA in the mouse small intestinal epithelium
- H. Illges and A. Radbruch 1265 DNA binding sites 5' of the IgG1 switch region comprising IL4 inducibility and B cell specificity
- L. Rydberg, B. Cedergren, M. E. Breimer, K. Lindström, P.-G. Nyholm and B. E. Samuelsson 1273 Serological and immunochemical characterization of anti-PP₁P^k (anti-Tj^a) antibodies in blood group little p individuals. Blood group A type 4 recognition due to internal binding
- 1287 *Book Reviews*

NOVEMBER

- Y. G. Alevy, J. Tucker and T. Mohanakumar 1289 CD32A (FcγRIIa) mRNA expression and regulation in blood monocytes and cell lines
- A. M. O'Rourke, M. F. Mescher and J. R. Apgar 1299 IgE receptor-mediated arachidonic acid release by rat basophilic leukemia (RBL-2H3) cells: possible role in activating degranulation
- K. Mabrouk, A. Benjouad, J. C. Gluckman, H. Rochat, J. Van Rietschoten and E. Bahraoui 1309 Specificity of anti-p25 antibodies produced against whole HIV-1 particles or soluble forms of the protein
- A. F. Braunwalder, D. Musmanno, N. Galakatos, R. H. Garlick, W. O. Haston, J. J. Rediske, L. Wennogle, B. Seligmann and M. A. Sills 1319 Characterization of the binding of Bolton-Hunter labeled [¹²⁵I]C5a to human neutrophil, monocyte and U-937 cell membranes
- N. A. Johnson, J. Beck Keeney, M. Hedayat, K. Wieties Clary, D. M. Kranz and T. H. Hansen 1325 T cell receptor rearrangements in various S49 lymphoma sublines
- J. Estaquier, C. Boutillon, J.-C. Ameisen, H. Gras-Masse, A. Delanoye, J.-P. Lecocq, A. Dixon, A. Tartar, A. Capron and C. Auriault 1337 Determination of B-cell epitopes of nef HIV-1 protein: immunogenicity related to their structure
- G. Tusnády, A. Erdei and T. Bakács 1347 Cold target competition analysis of the classical activation pathway of complement-mediated cytotoxicity: a non-interaction model for competing lysis
- M.-L. Solin, M. Kaartinen and O. Mäkelä 1357 The same few V genes account for a majority of oxazolone antibodies in most mouse strains
- A.-M. Cuisinier, F. Fumoux, M. Fougereau and C. Tonnelle 1363 IgMκ/λ EBV human B cell clone: an early step of differentiation of fetal B cells or a distinct B lineage?
- M. F. Cesbron-Delauw, C. Boutillon, C. Mercier, M. P. Fourmaux, A. Murray, F. Miquey, A. Tartar and A. Capron 1375 Amino acid sequence requirements for the epitope recognized by a monoclonal antibody reacting with the secreted antigen GP28.5 of *Toxoplasma gondii*

- L. Zhang, E. Olsen, F. T. Kisil, R. D. Hill, A. H. Sehon and S. S. Mohapatra 1383 Mapping of antibody binding epitopes of a recombinant *Poa p* IX allergen
- K. Ohki, T. Kimura, K. Ohmura, Y. Morikawa, I. M. Jones, I. Azuma and K. Ikuta 1391 Monoclonal antibodies to a CD4 peptide derivative which includes the region corresponding to an immunoglobulin CDR3: evidence of the involvement of pre-CDR3-related region in HIV-1 and host cell interaction
- K. Pettenburger, M. Tejkl, R. Valenta, K. Hoffmann-Sommergruber, I. Swoboda, E. Heberle-Bors, M. Breitenbach, H. Rumpold, D. Kraft and O. Scheiner 1401 Distribution of allergens and allergen-coding mRNAs in various tissues of white birch
- D. B. A. Symons and C. A. Clarkson 1407 Genomic organisation and sequence of the extracellular domain exons of the bovine Fc γ RI receptor, and evidence for restricted binding of ruminant IgG to U937 cells
- 1415 *Announcement*

DECEMBER

- A. J. da Silva, M. Yamamoto, C. H. Zalvan and C. E. Rudd 1417 Engagement of the TcR/CD3 complex stimulates p59^{fyn(T)} activity: detection of associated proteins at 72 and 120–130 kD
- J. Wen and M. Yaneva 1427 Non-linear epitopes of the large subunit of Ku autoantigen recognized by monoclonal and autoantibodies
- K. Bezouška, V. E. Piskarev, G. J. Van Dam, M. Pospíšil, J. Kubrycht and J. Kocourek 1437 Localization and characterization of the carbohydrate-binding site of the porcine lymphocyte mannan-binding protein
- M. E. Roth, B. A. Tjoa, C. J. Schlueter, E. R. Wilson, B. C. Lunn and D. M. Kranz 1447 Sequence diversity of T cell receptor α chain transcripts from BALB/c thymus
- G. A. M. Neale, T. J. Fitzgerald and R. M. Goorha 1457 Expression of the V(D)J recombinase gene RAG-1 is tightly regulated and involves both transcriptional and post-transcriptional controls
- Z. Novak, E. Fraga and B. Singh 1467 Evidence for immunodominance between closely related epitopes in the selection of T cell repertoire: hierarchy of T cell epitopes in a repeating sequence
- G. K. Lewis and C.-P. Feng 1477 Intrinsic immunogenicity of an internal VP1 T-B epitope pair of Type 1 poliovirus
- H. Dorai, J. S. Wesolowski and S. D. Gillies 1487 Role of inter-heavy and light chain disulfide bonds in the effector functions of human immunoglobulin IgG1
- K. J. Hasenkrug, K. V. Kesari and S. G. Nathenson 1493 Unique biochemical properties of a mutant MHC class I molecule, H-2K^{sm1}

- K. D. Victor, V. Pascual,
A. K. Lefvert and J. D. Capra** 1501 Human anti-acetylcholine receptor antibodies use variable gene segments analogous to those used in autoantibodies of various specificities
- T. Ashizawa, K.-H. Ruan,
K. Jinnai and M. Z. Atassi** 1507 Profile of the regions on the α -chain of human acetylcholine receptor recognized by autoantibodies in myasthenia gravis
- M. D. Daley, H. Peng, V. Misener,
X.-Y. Liu, P. P. Chen and
K. A. Siminovitch** 1515 Molecular analysis of human immunoglobulin V λ germline genes: subgroups V λ III and V λ IV
- 1519 *Book Reviews*
- 1521 *Announcement*

